J Am Acad Audiol 20:659–661 (2009)

# Index to Volume 20

**Authors**


Adams EM, 28
Akin FW, 216
Alexander GC, 374
Allen RS, 529
Anderson JM, 239, 397
Andersson G, 315
Ashayeri H, 621
Auriemmo J, 289, 656

Baguley DM, 315
Barrs DM, 348
Besing J, 453
Bingham K, 558
Blamey PJ, 272
Boismier TE, 311
Boothroyd A, 109
Bowers CD, 208
Brennan M, 119
Briggs S, 539
Brown D, 128, 239
Burgio LD, 529
Burkhalter CL, 529
Byrd A, 5
Byrne DC, 341

Cameron S, 128
Cevette MJ, 348
Chermak GD, 229
Christensen E, 49
Cone B, 629
Conrad N, 109
Cooper D, 453
Crittenden J, 529

Danhauer JL, 5, 422, 652
Daniels S, 569
DePierro AM, 453
DeGood LE, 5
Dillon H, 128
Don M, 99
Driscoll VD, 71
Dundas JA, 251

Eisenberg L, 49
Elberling C, 99
Eliassen J, 239
Emmer MB, 225, 306

Farahani MA, 621
Forsline A, 320
Freijd A, 315

Garinis A, 629
Gfeller K, 71
Grant KW, 607
Grimes A, 49
Guthrie LA, 381

Harkrider AW, 208
Heald GR, 582
Heldner B, 409
Helfer KS, 264
Honaker JA, 311
Hornsby BWY, 251
Houston L, 397
Hu J, 49
Hurley A, 644
Hurley WR, 341

Idrizbegovic E, 315

Jafari Z, 621
Janky KL, 514
Jensen NS, 503
Jenstad LM, 558
Jiang D, 71
Johannesson RB, 161
Johnson CE, 5, 422, 652
Johnson EE, 40

Keenan D, 89, 465, 480
Keith RW, 128, 589
Kemker BE, 582
King R, 216
Koch LL, 5
Koehnke J, 453
Korhonen P, 465
Kuk F, 89, 289, 353, 465, 480, 656

LaPointe LL, 582
Lau C-c, 89, 289, 465, 480
Laugesen S, 503
Levitt H, 225
Lewis SM, 320
Litovsky RA, 353

Maas P, 503
Mackersie CL, 109, 381
Malayeri S, 621
Maloff E, 99
Marshall S, 289
Martin LFA, 272
Martin J, 128
Martinez A, 49
McCullagh J, 187
Meuel C, 5
Mills KN, 172
Moncrieff DW, 58
Moore BCJ, 597
Moore RE, 28
Mueller HG, 40
Mülder H, 409
Musiek FE, 187, 229, 492, 569

Nagle S, 492
Naylor G, 161
Nielsen C, 503
Noe CM, 374

Oleson J, 71

Palmer CV, 341
Paulovicks J, 187
Pecile A, 5
Peeters H, 89
Pikora M, 289
Potts LG, 353

Qi Y, 109
Quick D, 289

Ricketts TA, 40
Romei L, 453

Samy RN, 397
Saunders GH, 320
Schafer EC, 409
Scheifele P, 239
Shahnaz N, 558
Shallop J, 348
Shepard N, 311, 514
Shepard NP, 311
Shinn JB, 229
Silman S, 225, 306
Silverman CA, 225, 306
Sininger YS, 49
Skaar DC, 529
Skinner MW, 353
Smith SL, 374
Solodar HS, 341
Souza P, 119
Stapells DR, 196
Stenger P, 289
Stewart R, 147
Stierwalt JAG, 582
Strube MJ, 353
Stuart A, 172
Summers V, 607
Sydlowski SA, 348

Thiele N, 289
Tufts JB, 539
Turner RG, 644

Van Maanen A, 196
Vander Werff KR, 433
Vargo M, 264
Vasil KA, 539
Vinay, 597
Vincent B, 409

Walden BE, 607
Walden TC, 607
Wambacq IJA, 453
Ward E, 409
Watson C, 128
Weihing J, 187, 569
Williams KO, 341
Williams VA, 422
Wilson RH, 58, 180, 216
Wilson AAS, 180
Wingfield A, 147
Witkowski C, 180
Wolfe J, 409

Zhang F, 239, 397

**Key Words**

acceptable noise level, 89
acoustic impedance tests, 558
acoustic mass, 480
acoustic tumors, 99
adaptation, 239, 397
adolescents, 58
adult aging, 147
age, 514
age-related changes, 225
aging, 264
amplification, 161
amplifiers, 109
amplitude modulation detection, 597
analysis method, 433
anxiety, 315
artifact, 306
attention, 208, 582
audibility, 119
audiology, 644
auditory cortex, 239, 397
auditory distraction, 582
auditory dysynchrony, 172, 621
auditory evoked potentials, 453, 492, 629
auditory evoked response, 239, 397, 433
auditory feedback, 503
auditory fitness for duty, 539
auditory gating, 208
auditory neuropathy, 306, 621
auditory perception, 180, 539
auditory processing, 58
auditory processing disorders, 569
auditory rehabilitation, 71
auditory steady-state response, 196, 433, 621
auditory stream segregation, 128

background noise, 28
bimodal hearing, 353
brand, 40

CalCAP, 582
calibration, 306
caloric irrigations, 311
candidacy, 607
cellular phone, 109, 582
central auditory processing, 229, 492
(central) auditory processing disorder, 128, 644
children, 58
chirp, 99
cochlear damage, 251
cochlear implant, 71, 315, 348, 353, 409
cochlear responsiveness, 208
cochlear temporal dispersion, 99
cochlear traveling wave, 99
cognition, 582
cognitive accuracy, 582
cognitive decline, 529
cognitive reaction time, 582
cognitive resource allocation, 582
college students, 5
comfort, 272
compression, 119, 161
concurrent sound segregation, 453
contralateral acoustic reflex, 225
contralateral suppression, 208
cortical control, 208
cortical plasticity, 597
counseling, 320

dead regions, 251, 597
depression, 315
development, 58
diagnostic techniques and procedures, 529
dichotic grouping cues, 453
dichotic listening, 58
directional microphone, 89
distortion product otoacoustic emissions, 306
dual task, 582
dynamic FM, 409

early intervention, 49
earmold, 480
electrophysiology, 239, 397, 569
endogenous, 187
everyday listening, 607
evidence-based practice, 422
exogenous, 187
expansion, 119
expectations, 320
experience, 422
external ear, 558

False Alarm Rate, 644
frequency modulation (FM), 409
frequency transposition, 289
functional hearing ability, 539
Fukuda Stepping Test, 311

gain, 503
Gaps In Noise, 229
gender, 422

head shake, 311
hearing, 644
hearing aid, 40, 89, 109, 119, 161, 251, 272, 289, 320, 341, 353, 374, 422, 503, 558, 607
hearing aid purchase, 341
hearing loss, 109, 147, 180, 251, 374, 381
hearing problems, 315
health services for the aged, 529
hearing threshold, 433
hemosiderin, 348
Hit Rate, 644
human, 239, 397

idiopathic bilateral sudden sensorineural hearing loss, 180
importance assessment, 40
infants, 196, 558, 629
inhibition, 208
input and output compensation, 99
intensity effects, 187
interaural asymmetry, 58
Intermediate criterion, 644
intermodulation distortion, 306
IOI-HA (International Outcome Inventory for Hearing Aids), 422
iPods, 5

left-ear deficit, 58
linear frequency transposition, 465
localization, 353
Lombard reflex, 503
longitudinal studies, 558
Loose criterion, 644
loudness, 272

masking, 264
maturation, 58
medial olivocochlear bundle, 208
middle ear, 558
mobile phone, 582
modulation, 161
music, 71

N1-P2, 569
neuropathy, 172

newborn, 558
newborn hearing screening, 49
noise reduction, 89
noise, 161
nonoccupational noise exposure, 5
nonsense syllable test, 465
normal hearing, 71, 196
nursing homes, 529

objective audiometry, 433
occlusion effect, 480
occupational health and safety, 539
older adult, 374
omitted paradigm, 187
otoacoustic emissions, 208
outcome, 320
outcome assessment, 374
outcome measures, 422
own voice level, 503

P300, 187
patient outcome, 374
pediatrics, 229
personal listening devices, 5
preference, 40
presentation level, 381
proprioception, 503
pure-tone audiometry, 621

questionnaires, 422

real-ear measures, 558
recognition, 119
recording time, 433
recreational noise exposure, 5
refractoriness, 239, 397
release from inhibition, 208
repetition rate, 492
repetitive stimuli, 239, 397
response recovery, 239, 397
retrocochlear, 348

satisfaction, 272, 422
self-perception, 341
sensitivity, 99
sensorineural hearing loss, 172
signal-to-noise ratio threshold, 28
simulated hearing loss, 28
simulations, 71
specificity, 99
speech, 161
speech audiometry, 381, 629
speech discrimination, 381
Speech Intelligibility Index, 89
speech intelligibility, 28
speech perception, 109, 180, 539
speech rate judgment, 28
speech recognition testing, 381
speech recognition, 147, 264, 353
Stacked ABR, 99
Strict criterion, 644
superficial siderosis, 348
syntactic complexity, 147

temporal integration, 225
temporal processing, 264
temporal resolution, 229
test correlation, 644
test protocol, 644
thin-tube fitting, 480
threshold, 251
tinnitus distress, 315
tonal activator, 225
tone-evoked auditory brain stem response, 196
training effect, 465
training, 71
transient evoked otoacoustic emissions, 306
treatment outcome, 374

unilateral weakness, 311
unilateral, 172

VEMP, 514
vent, 480
vestibular, 514
Veteran, 374
visual attention, 582
vocal effort, 503

word recognition in multitalker babble, 180

young adults, 5